REFERENCES

Abraham, T., Mathew, J**.**, Srinivas, P. and Jacob, C.K. (2006). Incidence of tapping panel dryness on popular rubber clones in Southern rubber growing region of India. In: *Tapping panel dryness of rubber trees* (Eds. Jacob, J., Krishnakumar, R. and Mathew, N.M.), Rubber Research Institute of India, Kottayam, pp. 55-63.

Bar-Joseph, M. (2003). Natural history of viroids - Horticultural aspects. In: *Viroids*. (Eds. A. Hadidi, R. Flores, J. W. Randles, and J. S. Semancik) CSIRO Publishing, Collingwood, Australia. pp 246-251

Bobilioff, W. (1919). The cause of brown bast disease of *Hevea brasiliensis*. *Archief Voor De Rubbercultuur*, **3**:172-178.

Carrillo-Tripp J, Lozoya-Gloria E, Rivera-Bustamante RF (2007). Symptom remission and specific resistance of pepper plants after infection by *Pepper golden mosaic virus*. *Phytopathology,* 97:51–57

Chan, W.H. (1996). Survey of tree dryness on panels BO-1 and BO-2 of clone PB 260. *The planter,* **72**(839):55-60.

Chandrasekhar, T. R., Gawai P. P. and Meena S. (2006). Incidence of TPD in a drought prone non-traditional zone in India. In: *Tapping panel dryness of rubber trees* (Eds. Jacob, J., Krishnakumar, R. and Mathew, N.M.), Rubber Research Institute of India, Kottayam, pp.79-82

Chrestin H., Sookmark U., Trouslot P., Pellegrin F ., Nandris D. (2004). Rubber tree (*Hevea brasiliensis*) bark necrosis syndrome III. A physiological disease linked to impaired cyanide metabolism. *Plant Disease* **88**(9):1047.

Chua, S.E. (1967). Physiological changes in *Hevea* trees under intensive tapping. *Journal of the Rubber Research Institute of Malaya*, **20**(2):100-105.

Compagnon, P., Tixier, P. and Raujansky, S. (1953). Contribution a' I etuda des accidents physiologiques de saignee. *Archief Vor De Rubber cultuur*. Indie, Extra No. 1:54.

de Fay, E. (1981) Histophysiology compared of sound and diseasebark (Brown bast) from *Hevea brasiliensis*. *Thesis Doc. 3eme Cycle,* University of Montpellier, II France.

de Fay, E. (1988). Ethylene stimulation of *Hevea*, bark dryness and brown bast. *Journal of Natural Rubber Research*. **3**(4) 201-209.

de Fay, E., and Jacob, J.L. (1989). The bark dryness disease (Brown bast) of *Hevea*: Symptomatology, histological and cytological aspects. In: *Physiology of Rubber Tree Latex* (Eds. J d'Auzac, Jean-Louris Jacob and Herv'e Chrestin). CRC Press, Florida. pp.407-430.

De Silva, C A (1961). Brown bast disease of *Hevea*. *Quarterly Journal of Rubber Research Institute of Ceylon*, **37**(4): 129-130.

de Soya, A. G. A., Samaranayake, C., Abeywardene, V., Jayaratne, A.H.R. and Wilbert, S. (1983). A survey on the incidence and pattern of distribution of the brown bast disease of *Hevea*. *Journal of the Rubber Research Institute of Sri Lanka*, **61**: 1-6.

Diener, T.O. (1979). *Viroids and Viroid Diseases*, Wiley, New York. 252p.

Eschbach, J.M., Hasibuan, S.E. and James, A.Q. (1994). Clonal influence of panel management on bark necrosis. In proceedings of *IRRDB TPD workshop,* 26-28 July 1994, South China Academy of Tropical Crops, Hainan, China.

Fernow K.H., Peterson L.C., Plaisted R.L. (1970) Spindle tuber virus in seeds and pollen of infected plants. *American Potato Journal* 47: 75-80.

Galindo, J. A. (1987). Tomato plant macho. In: *The Viroids*. Ed. T. O. Diener. Plenum Press, New York, NY. 315-320

Gillings, MR., Broadbent, P and Gollnow, BI. (1991). Viroids in Australian citrus: Relationship to exocortis, cachexia and citrus dwarfing. *Australian Journal of Plant Physiology*, Vol. 18: pp. 559–70.

Gomez, J.B. and Gandhimati, N. (1990). The brown bast syndrome of *Hevea*. Part 1: Morphological observations. *Journal of Natural Rubber Research*, **5**(2):81-89.

Gomez, J.B., Hamzah, S., Gandhimati, H. and Ho, LH (1990). The brown bast syndrome of *Hevea*. Part II: Histological observations. *Journal of Natural Rubber Research*, **5(2)**: 90-101.

Grasmick M.E., Slack S.A. (1986). Effect of potato spindle tuber viroid on sexual reproduction and viroid transmission in true potato seed. *Canadian Journal of Botany* 64: 336-340.

Hollings, M., and Stone, O. M. (1973). Some properties of chrysanthemum stunt, a virus with the characteristic of an uncoated ribonucleic acid. *Annals of Applied Biology*. 74:333-348.

Jacob, J. and Krishnakumar, R. **(**2006). Tapping panel dryness syndrome: What we know and what we do not know. In: *Tapping panel dryness of rubber trees* (Eds. Jacob, J., Krishnakumar, R. and Mathew, N.M.), Rubber Research Institute of India, Kottayam, pp. 3-27

Jeffries C (1998) *Technical Guidelines for the Safe Movement of Germplasm. No.19. Potato*. FAO/IPGRI (ISBN 92-9043-390-6) 177 p.

Joseph, M. (2006) Soil properties and tree nutritional status in relation to tapping panel dryness syndrome in rubber. In: *Tapping panel dryness of rubber trees* (Eds. Jacob, J., Krishnakumar, R. and Mathew, N.M.), Rubber Research Institute of India, Kottayam, pp.139-145

Krishnakumar, K., Annamalainathan, K., Simon, S. P. and Jacob, J. (1998). TPD syndrome increases bark respiration in *Hevea*. In: *Recent Advances in Plantation Crops Research*: Placrosym XIII Dec.16-18, 1998, Coimbatore, Tamil Nadu, India (Eds. N. Muraleedharan and R. Raj Kumar) Allied Publishers, New Delhi, India, pp.241-245.

Krishnakumar, R. and Jacob, J. (2002). Effect of panel changing on tapping panel dryness in *Hevea*. *Indian Journal of Natural Rubber Research*, **15**(1): 96-99.

Krishnakumar, R., Annamalainathan, K., Simon, S.P. and Jacob, J. (2001). TPD syndrome in *Hevea* increases bark respiration but not ATP status. *Indian Journal of Natural Rubber Research*, **14(1):** 14-19.

Krishnakumar, R., Rittu, M., Sreelatha, S. and Jacob, J. (2006). Endogenous ethylene and oxidative stress in *Hevea brasiliensis.* In: *Tapping panel dryness of rubber trees* (Eds. Jacob, J., Krishnakumar, R. and Mathew, N.M.), Rubber Research Institute of India, Kottayam, pp.116-124

Krishnakumar, R., Sasidhar, V.R and Sethuraj. M.R. (1997). Influence of TPD on cytokinin level of *Hevea* bark. *Indian Journal of Natural Rubber Research*, **10 (142):** 107-109.

Krishnakumar, R., Sreelatha, S, Thomas, M., Gopalakrishnan, J., Jacob, J. and Sethuraj, M.R. (1999). Biochemical composition of soft bark tissues in *Hevea* affected by tapping panel dryness. *Indian Journal of Natural Rubber Research*, **12 (1&2)**: 92-99.

Krishnakumar, R., Thomas, M., Sobhana, P. and Jacob, J. (2003). Tapping Panel Dryness Syndrome: A Review. *Proceedings of the IRRDB Workshop on Exploitation Technology,* 15-18 December, 2003, (Eds. K.R Vijayakumar *et al*.,) Rubber Research Institute of India, Kottayam, pp.166-178

Kryczynski, S., Paduch-Cichal, E., and Skzeczkowski, L. J. (1988). Transmission of three viroids through seed and pollen of tomato plants. *Journal of Phytopathology* 121:51-57.

Li Shizong, Lin Zhaomu, Zuo Qizing, Lin Giqiang (1984): Prevention and cure of brown bast. *Research on Tropical Crops* **2**: 10-18.

Lukman, (1992). Tapping panel dryness on upward tapping. *Proceedings of the IRRDB Joint Meeting Breeders, Pathology, Physiology and Exploitation Groups., Jakarta, Indonesia 27-28 Oct.1992.* pp 68-71.

Mathew, J., Abraham, T., Phillipose, J., Edwin E.P., Jacob, C. K., Ramachandran, P and Varma, A. (2006b) Investigations on probable biotic etiology of TPD: Screening for common plant pathogens. In: *Tapping panel dryness of rubber trees* (Eds. Jacob, J., Krishnakumar, R. and Mathew, N.M.), Rubber Research Institute of India, Kottayam, pp.175-182

Mishra, M.D., Hammond, R.W., Owens, R.A., Smith, D.R. and Diener, T.O. (1991) Indian bunchy top disease of tomato plants is caused by a distinct strain of citrus exocortis viroid. *Journal of General Virology* 72:1781–1785

Mydin, K.K., John, A., Marattukulam, JG., Saraswathyamma, C.K., and Saraswathy P. (1999). Variability and distribution of tapping panel dryness in *Hevea brasiliensis*. *Proceedings of IRRDB Symposium on Breeding and Selection*. Hainan, China pp.83-90.

Nair, N. U. (2004). Tapping Panel Dryness Survey in Small Holdings in India- A report. *IRRDB Conference on NR Industry: Responding to Globalization" 7-8 September 2004*. Kunming, International Convention & Exhibition Center, China. pp. 1-7.

Paranjothy, K. (1979). Brown bast and exploitation of dry trees. *RRIM Training Manual on Tapping, Tapping Systems and Yield stimulation of Hevea*, June 1979. pp.52-60.

Paranjothy, K. and Yeang, H.Y. (1977). A consideration of the nature and control of brown bast In *Proceedings of the RRIM Planters Conference,* 1977*,* Kuala Lumpur, pp.74-90.

Paranjothy, K., Gomez, J.B. and Yeang, H.V.(1975). Physiological aspects of brown bast development. In *Proceedings of International Rubber Conference*, (1975). Kuala Lumpur, Malaysia. pp. 181-202.

Peries, O.S. and Satchuthananthavale, R. (1964). Incidence, Symptomatology and Histology of bark cracking in *Hevea brasiliensis*. *Tropical Agriculture* (Trinidad), 41:266-275.

Petch, T. (1921). Brown bast. In: *The Diseases and Pests of the Rubber Tree*. MacMillan and Co. Ltd. St.Martins's street, London. pp.169-180.

Premakumari, D., Panikkar, A.O.N., Sethuraj, M.R., Marattukalam, J.G. (1991). Growth, yield and flow characters and their correlation with brown bast incidence in Ten *Hevea* clones. *Indian Journal of Natural Rubber Research*, **4**(2): 107-113.

Pushpadas, M.V., Nair, K. K., Krishnakumari, M. and Karthikakuttyamma, M..(1974) Brown bast and nutrition. A case study. *Rubber Planters Conference, India,* Rubber Board, Kottayam, India.

Qi, Y. and Ding, B. (2003). Inhibition of cell growth and shoot development by a specific nucleotide sequence in a noncoding viroid RNA. *Plant Cell,* **15**:1360-1374.

Querci, M., Owens, R. A., Bartolini, I., Lazarte, V., and Salazar, L. F. (1997). Evidence for heterologous encapsidation of potato spindle tuber viroid by potato leafroll virus. *Journal of General Virology.* 78:1207-1211.

Querci, M., Owens, R. A., Vargas, C., and Salazar, L. F. (1995). Detection of potato spindle tuber viroid in avocado growing in Peru. *Plant Disease* 79:196-202.

Ramachandran, P., Mathur, S., Fransis, L., Varma, A., Mathew, J., Mathew, N.M., Sethuraj, M.R., (2000).Evidence for association of a Viroid with TPD syndrome of rubber (*Hevea brasiliensis*). *Plant Disease,* **84**(10):1155.

Rands, R.D (1921). Histological studies on the brown bast disease of plantation rubber. *Review of Applied Mycology* 1:1922.140-142.

Rutgers, A.A.L and Dammermann (1914). Diseases of *Hevea brasiliensis* Java. Med. V.H. Lab. V. Plant No.10.

Salazar, L. F., Querci, M., Bartolini, I., and Lazarte, V. (1995). Aphid transmission of potato spindle tuber viroid assisted by potato leafroll virus. *Fitopathologia* 30:50-58.

Samaranayake C. and Yapa P.A.J. (1989). Studies on brown bast in Sri Lanka. *Proceedings of the IRRDB workshop on Tree Dryness,* 1989, Penang, Malaysia. pp. 33-36.

Sathik, M.B.M, Thomas, M. and Jacob, J. (2006). Identification of TPD responsive transcripts in *Hevea brasiliensis*. In: *Tapping panel dryness of rubber trees* (Eds. Jacob, J., Krishnakumar, R. and Mathew, N.M.), Rubber Research Institute of India, Kottayam, pp.165-175

Sethuraj, M.R. (1992). Yield components in *Hevea brasiliensis*. In: *Natural rubber: Biology, Cultivation and Technology*. (Eds. M.R. Sethuraj and N.M.Mathew), Elsevier, Amsterdam. pp. 137-163.

Shaoqiong, Y. (1989). Tapping panel dryness in China's rubber plantations. *Proceedings of the IRRDB workshop on tree dryness,* 1989, Penang, Malaysia. pp. 61-69.

Sharples, A. (1936). Brown bast. In: The *Disease and Pest of Rubber Tree*, Macmillan, London, 1936, p. 229-265

Singh, R. P. (1970). Seed transmission of potato spindle tuber virus in tomato and potato. *American Potato Journal* **47**:225-227.

Singh, R. P., and Boucher, A. (1987). Electrophoretic separation of a severe from mild strains of potato spindle tuber viroid. *Phytopathology.* 77:1588-1591.

Singh, R.P., Boucher, A., Somerville, T.H. (1992). Detection of potato spindle tuber viroid in the pollen and various parts of potato plant pollinated with viroid-infected pollen. *Plant Disease*. 76: 951-953.

Sivakumaran, S. and Haridas G. (1989). Incidence of tree dryness in precious high-yielding clones. *Proc. IRRDB workshop on Tree Dryness,* 26-27 June, 1989, Penang, Malaysia. pp. 1-19.

Sivakumaran, S. and Pakinathan, S.W. (1983). Studies on tree dryness. A simple and rapid method of inducing dryness in *Hevea* trees. *Journal of Rubber Research Institute of Malaysia.* **31(2)**: 88-101.

Sivakumaran, S., Gandhimathi, H., Hamzah, Z., Yeang, H.Y. and Hamzah, S. (1997). Studies on physiological and nutritional aspects in relation to TPD development in clone PB 260. In: *IRRDB Workshop on Tapping Panel Dryness in Hevea brasiliensis*, 1997, Hainan, China, pp. 63-76.

Sobhana, P., Thomas, M., Krishnakumar, R., Saha, T., Sreena, A.S. and Jacob, J. (1999). Can difference in the genetics between the root stock and scion lead to

tapping panel dryness syndrome? *Proceedings of IRRDB Symposium* 1999 (Eds. Chen Quibo and Zhou Jiannan), Hainan, China, pp.331-336.

Stannard, MC, Evans, JC and Long, JK (1975). 'Effect of transmission of exocortis dwarfing factors into Washington navel orange trees', *Australian Journal of Experimental Agriculture and Animal Husbandry*, Vol. 15, pp. 136–141

Steve H. Dreistadt (2008). *Integrated Pest Management for Avocados*. University of California Agriculture and Natural Resources, Publication 3503. ISBN-13: 978-1-60107-420-1. 222 pp.

Szychowski J. A. and Mckenry M. V. and Walker M. A. and Wolpert J. A. and Credi R. and Semancik J. S. (1995). The vein-banding disease syndrome : A synergistic reaction between grapevine viroids and fanleaf virus. *Vitis*. **34**. 229-232

Szychowski, J. A., Goheen, A. C. and Semancik, J. S. (1988). Mechanical transmission and rootstock reservoirs as factors in the widespread distribution of viroids in Grapevines. *American Journal of Enology and Viticulture* 39:213-216

Taysum, D.H. (1960). Yield increased by the treatment of *Hevea brasiliensis* with antibiotics. In; *Proceedings of Natural Rubber Research Conference*. 1960, Rubber Research Institute of Malaya, Kuala Lumpur, p.224.

Venkatachalam, P., Raghothama, K.G. and Thulasidharan, A. (2006). Identification of differentially expressed genes in response to TPD syndrome in rubber tree (*Hevea brasiliensis*): A suppression subtractive cDNA library based approach. In: *Tapping panel dryness of rubber trees* (Eds. Jacob, J., Krishnakumar, R. and Mathew, N.M.), Rubber Research Institute of India, Kottayam, pp.151-161

Visvader, J. E. and Symons, R.H. (1985) Eleven new sequence variants of citrus exocortis viroid and the correlation of sequence with pathogenicity. *Nucleic Acids Res.* **13**(8): 2907–2920.

Whitesell, R. (1952). Sun blotch disease of Avocado. *Calif. Avocado Soc. Yearbook* 37:216.

Zheng, X., Liu, Z., Deng, X., Hu, D., Chen, M., Luo, D. (1997). Amplification of 16s rDNA of MLO/RLO associated with TPD of *Hevea.* In: *Proceedings of IRRDB TPD workshop*, South China Academy of Tropical Crops, Hainan, China, pp. 28-30.